



DATE: 25 November 2014

**Product Identifier**

**SRM Number:** 2393

**SRM Name:** CAG Repeat Length Mutation in Huntington's Disease

Under the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1200, this Standard Reference Material (SRM) is NOT classified as a physical hazard or a health hazard, a simple asphyxiant, combustible dust, pyrophoric gas, or hazard not otherwise classified. There are no hazard pictograms, hazard statements or signal word associated with it. Safety Data Sheet information is not required. This document may be used in conjunction with your hazard communication program.

**Exemption:** 1910.1200 (b) (6) (xii). This SRM is a biological material and should be considered a potential biological hazard.

**Description:** This SRM is intended primarily for use in the value assignment of the number of Huntington's Disease [CAG] trinucleotide repeats contained in a human genomic material. A unit of SRM 2393 consists of six sterile 0.5 mL perfluoroalkoxy (PFA) fluoropolymer vials, each vial containing approximately 50  $\mu$ L of DNA solution of each individual component

**Additional Notes for Biomaterials:** SRM 2393 IS A HUMAN SOURCE MATERIAL. SINCE THERE IS NO CONSENSUS ON THE INFECTIOUS STATUS OF EXTRACTED DNA, HANDLE THE SRM 2393 COMPONENTS AS BIOSAFETY LEVEL 1 MATERIALS CAPABLE OF TRANSMITTING INFECTIOUS DISEASE.

**Disposal:** SRM 2393 components and derived solutions should be disposed of in accordance with local, state, and federal regulations.

**Transport Information:** This material is not regulated by the U.S. Department of Transportation (DOT) and/or International Air Transportation Association (IATA).

**Disclaimer:** This document was prepared carefully, using current references. Users of this SRM should ensure that this document and the corresponding Certificate of Analysis in their possession are current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <http://www.nist.gov/srm>.