



DATE: 26 May 2015

**Product Identifier**

**RM Number:** 8394  
**RM Name:** Tissue Engineering Reference Scaffolds for Cell Culture

Under the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1200, this Standard Reference Material (SRM) is NOT classified as a physical hazard or a health hazard, a simple asphyxiant, combustible dust, pyrophoric gas, or hazard not otherwise classified. There are no hazard pictograms, hazard statements or signal word associated with it. Safety Data Sheet information is not required. This document may be used in conjunction with your hazard communication program.

**Exemption:** 1910.1200 (c). This RM is an Article, as the word is defined by OSHA, where *Article* means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of 1910.1200), and does not pose a physical hazard or health risk to employees.

**Description:** This Reference Material (RM) is intended to provide a common source tissue-engineering scaffold for measurement comparisons of cell adhesion and proliferation. A unit of RM 8394 consists of 24 free-form fabricated [1] poly( $\epsilon$ -caprolactone) (PCL) scaffolds in a 96-well plate. Each plate contains 24 scaffolds and is packaged in a heat-sealed plastic pouch and then boxed. The scaffolds have six layers of struts and each scaffold is approximately 5.3 mm in diameter, 1.6 mm in height.

**Disposal:** RM 8394 should be disposed of in accordance with local, state, and federal regulations.

**Transport Information:** This material is not regulated by the U.S. Department of Transportation (DOT) and/or International Air Transportation Association (IATA).

**Disclaimer:** This document was prepared carefully, using current references. Users of this SRM should ensure that this document and the corresponding Report of Investigation in their possession are current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <http://www.nist.gov/srm>.