

**SAFETY DATA SHEET**

**1. SUBSTANCE AND SOURCE IDENTIFICATION**

**Product Identifier**

**SRM Number:** 2791  
**SRM Name:** Inorganic Constituents in Softwood Biomass Material  
**Other Means of Identification:** Not applicable.

**Recommended Use of This Material and Restrictions of Use**

This Standard Reference Material (SRM) is intended for use in validating methods for the determination of elements in softwood biomass materials and similar matrices, and for qualifying in house control materials. A unit of SRM 2791 consists of two bottles each containing approximately 30 g of material.

**Company Information**

National Institute of Standards and Technology  
 Standard Reference Materials Program  
 100 Bureau Drive, Stop 2300  
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200  
 FAX: 301-948-3730  
 E-mail: SRMMSDS@nist.gov  
 Website: <http://www.nist.gov/srm>

Emergency Telephone ChemTrec:  
 1-800-424-9300 (North America)  
 +1-703-527-3887 (International)

**2. HAZARDS IDENTIFICATION**

**Note:** SRM 2791 is supplied in a small quantity and under normal laboratory conditions it does not constitute a combustible dust hazard. The physical properties of this material indicate that accumulated dust on surfaces generated where operations produce fine particulates, may lead to combustible dust concentrations in air.

**Classification**

**Physical Hazard:** Not classified.  
**Health Hazard:** Respiratory Sensitization: Category 1  
 Skin Sensitization: Category 1  
 Carcinogenicity: Category 1A  
 STOT Single Exposure: Category 3  
 STOT Repeated Exposure: Category 1

**Label Elements**

**Symbol:**



**Signal Word:** DANGER

**Hazard Statement(s):**

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H317 May cause an allergic skin reaction.  
 H350 May cause cancer.  
 H335 May cause respiratory irritation.  
 H372 Causes damage to organs (respiratory system) through prolonged or repeated exposure (inhalation).

**Precautionary Statement(s):**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear eye protection, protective gloves and clothing.
P284	Wear respiratory protection.
P302 + P352	If on skin: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: get medical attention.
P362 + P364	Take off contaminated clothing and wash before reuse.
P304 + P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P342 + P311	If experiencing respiratory symptoms: Call a doctor.
P308 + P313	If exposed or concerned: Get medical attention.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents and container according to local regulations.

**Hazards Not Otherwise Classified:** Not applicable.

**Ingredients(s) with Unknown Acute Toxicity:** Not applicable.

### 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

**Substance:** Wood dust

**Other Designations:** Sawdust; wood meal; wood flour

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Wood dust	not available	not available	100

### 4. FIRST AID MEASURES

**Description of First Aid Measures:**

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

**Skin Contact:** Wash skin with soap and water.

**Eye Contact:** Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

**Ingestion:** If adverse effects occur after ingestion, seek medical treatment.

**Most Important Symptoms/Effects, Acute and Delayed:** Generated dust may cause irritation; chronic inhalation of wood dust may cause cancer.

**Indication of any immediate medical attention and special treatment needed, if necessary:** If any of the above symptoms are present, seek medical attention if needed.

### 5. FIRE FIGHTING MEASURES

**Fire and Explosion Hazards:** Avoid generating dust; sufficient concentrations of fine dust dispersed in air, and in the presence of an ignition source is a potential hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

**Extinguishing Media:**

Suitable: Regular dry chemical, carbon dioxide, water, regular foam.

Unsuitable: None listed.

**Specific Hazards Arising from the Chemical:** None listed.

**Special Protective Equipment and Precautions for Fire-Fighters:** Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

**NFPA Ratings** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1                      Fire = 1                      Reactivity = 0

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions, Protective Equipment and Emergency Procedures:** Any accumulated material on surfaces should be removed and disposed of properly. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

**Methods and Materials for Containment and Clean up:** Collect spilled material in appropriate container for disposal. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.

---

## 7. HANDLING AND STORAGE

---

**Safe Handling Precautions:** Minimize dust generation and accumulation on surfaces. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. See Section 8, "Exposure Controls and Personal Protection". Avoid contact with incompatible materials (see Section 10, "Stability and Reactivity").

**Storage:** Store and handle in accordance with all current regulations and standards.

---

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

**Exposure Limits:** No occupational exposure limits established for wood dust. OSHA regulates wood dust exposure under the requirements for Particulates Not Otherwise Regulated.

OSHA (PEL): 15 mg/m<sup>3</sup> TWA (total particulates)  
5 mg/m<sup>3</sup> TWA (respirable particulates)

NIOSH (REL): 1 mg/m<sup>3</sup> TWA (wood dust)

ACGIH (TLV): 1 mg/m<sup>3</sup> TWA (wood dust all species except western red cedar)  
0.5 mg/m<sup>3</sup> TWA (Western red cedar wood dust)

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**Personal Protection:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye/Face Protection:** Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

**Skin and Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Descriptive Properties:</b>	<b>Wood dust</b>
<b>Appearance (physical state, color, etc.)</b>	powder
<b>Molecular Formula</b>	not available
<b>Molar Mass (g/mol)</b>	not applicable
<b>Odor</b>	not available
<b>Odor threshold</b>	not available
<b>pH</b>	not available
<b>Evaporation rate</b>	not applicable
<b>Melting point/freezing point (°C)</b>	not applicable

<b>Specific Gravity (water=1)</b>	not available
<b>Vapor Pressure (mmHg)</b>	not applicable
<b>Vapor Density (air = 1)</b>	not applicable
<b>Viscosity (cP)</b>	not applicable
<b>Solubility(ies)</b>	not available
<b>Partition coefficient (n-octanol/water)</b>	not available
<b>Particle Size</b>	not available

**Thermal Stability Properties:**

<b>Autoignition Temperature (°C)</b>	not available
<b>Thermal Decomposition (°C)</b>	not available
<b>Initial boiling point and boiling range (°C)</b>	not applicable
<b>Explosive Limits, LEL (Volume %)</b>	not available
<b>Explosive Limits, UEL (Volume %)</b>	not available
<b>Flash Point (°C)</b>	not available
<b>Flammability (solid, gas)</b>	not available

**10. STABILITY AND REACTIVITY**

**Reactivity:** Stable at normal temperatures and pressure.

**Stability:**   X   Stable        Unstable

**Possible Hazardous Reactions:** None listed.

**Conditions to Avoid:** Avoid generating dust. Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

**Incompatible Materials:** Oxidizing materials.

**Fire/Explosion Information:** See Section 5, "Fire Fighting Measures".

**Hazardous Decomposition:** Thermal decomposition will produce oxides of carbon.

**Hazardous Polymerization:**        Will Occur   X   Will Not Occur

**11. TOXICOLOGICAL INFORMATION**

**Route of Exposure:**   X   Inhalation   X   Skin        Ingestion

**Symptoms Related to the Physical, Chemical and Toxicological Characteristics:** Cough, nasal discomfort, and bronchitis.

**Potential Health Effects (Acute, Chronic and Delayed):**

**Inhalation:** Wood dust may cause cancer. Wood dust may cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure (reduced lung function).

**Skin Contact:** May cause mechanical irritation and an allergic skin reaction.

**Eye Contact:** Generated dust may irritate the eyes.

**Ingestion:** No data available.

**Numerical Measures of Toxicity:**

**Acute Toxicity:** Not classified; no data available.

**Skin Corrosion/Irritation:** Not classified; no data available.

**Serious Eye Damage/Irritation:** Not classified; no data available.

**Respiratory Sensitization:** Category 1.

**Skin Sensitization:** Category 1.

**Germ Cell Mutagenicity:** Not classified; no data available.

**Carcinogenicity:** Category 1A.

**Listed as a Carcinogen/Potential Carcinogen**   X   Yes        No

Wood dust is listed as known to be a human carcinogen by NTP; and listed as Group 1 Carcinogenic to humans by IARC.

**Reproductive Toxicity:** Not classified; no data available.

**Specific Target Organ Toxicity, Single Exposure:** Category 3, Respiratory tract irritation.

**Specific Target Organ Toxicity, Repeated Exposure:** Category 1, may cause damage to the respiratory system.

**Aspiration Hazard:** Not classified; no data available.

---

## 12. ECOLOGICAL INFORMATION

---

**Ecotoxicity Data:** No data available.

**Persistence and Degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other Adverse effects:** No data available.

---

## 13. DISPOSAL CONSIDERATIONS

---

**Waste Disposal:** Dispose of waste in accordance with all applicable federal, state, and local regulations.

---

## 14. TRANSPORTATION INFORMATION

---

**U.S. DOT and IATA:** Not regulated by DOT or IATA.

---

## 15. REGULATORY INFORMATION

---

**U.S. Regulations:**

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.

CHRONIC HEALTH: Yes.

FIRE: No.

REACTIVE: No.

PRESSURE: No.

**State Regulations:**

California Proposition 65: Not listed.

**U.S. TSCA Inventory:** Not listed.

**TSCA 12(b), Export Notification:** Not listed.

**Canadian Regulations:** WHMIS Information is not provided for this material.

---

## 16. OTHER INFORMATION

---

**Issue Date:** 21 March 2018

**Sources:** ChemAdvisor, Inc., SDS *Wood Dust*, 09 December 2015.

CDC; NIOSH; *NIOSH Pocket Guide to Chemical Hazards*; Department of Health and Human Services (DHHS), Centers for Disease Control and Prevention (CDC), National Institute for Safety and Health; *Particulates not otherwise regulated*, 11 April 2016; available at <http://www.cdc.gov/niosh/npg/npgd0480.html> (accessed Mar 2018).

World Health Organization, IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; *Wood Dust*; available at <http://monographs.iarc.fr/ENG/Classification/index.php> (accessed Mar 2018).

U.S. Department of Health and Human Services, NTP 14th report on Carcinogens; *Wood Dust*; <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/wooddust.pdf> (accessed Mar 2018).

Vendor SDS, *Wood Flour*; 10 February 2016.

U.S. National Library of Medicine, Toxicology Data Network, HAZMAP Database, *Wood Dust*; available at <https://hazmap.nlm.nih.gov/category-details?table=copytblagents&id=674> (accessed Mar 2018).

U.S. Department of Labor, OSHA; *Wood Dust Exposure Evaluation*, available at <https://www.osha.gov/SLTC/wooddust/evaluation.html> (accessed Mar 2018).

### Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Level
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System

**Disclaimer:** Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <https://www.nist.gov/srm>.